

## Külmvormitud keevitatud ehitusõõnesprofiilide teraste margivastavus

T. EN10219

EN	DIN		Soome SFS	Rootsi SS	Vene GOST	Suurbritannia BS
	Tunnusnr.	Margitähis				
<b>Mittelegeerterased</b>						
S235JRH	1.0039	S275JOH, RoSt44-2		1412-04		4360-43C
S275JOH	1.0149					
S275J2H	1.0138	S355JOH		2172-04		4360-50C, 6323- HFW5, HFS5
S355JOH	1.0547					
S355J2H	1.0576					
<b>Peenteraterased</b>						
S275NH	1.0493	S355NH, StE335		2134-04		
S275NLH	1.0497					
S355NH	1.0539	S355NLH, TStE355		2135		
S355NLH	1.0549					
S460NH	1.8953					
S460NLH	1.8956					
S275MH	1.8843					
S275MLH	1.8844					
S355MH	1.8845					
S355MLH	1.8846					
S420MH	1.8847					
S420MLH	1.8848					
S460MH	1.8849					
S460MLH	1.8850					